



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Desi Clean | Product code: UM-001 | Revision date: 19.11.2020

SECTION 1:

Identification of the substance/mixture and of the company/undertakings

1.1. Product identifier

Desi Clean | UFI: RMHN-00VJ-4E26-65G0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Disinfectant

Uses advised against

None known. Only use for the intended purpose.

1.3. Details of the supplier of the safety data sheet

Company name: Uwe Müller GmbH & Co. KG

Street: Oberwiesachstraße 3 | Place: D-72290 Loßburg-Betzweiler

Telephone: +49 (0)7455 - 94 68 - 0 | Telefax: +49 (0)7455 - 94 68 - 710

E-Mail: info@uwemueller.de

Contact person: Christian Wunderlich

Telephone: +49 (0)7455 - 94 68 - 56 | E-Mail: c.wunderlich@uwemueller.de

Internet: www.uwemueller.de

Responsible Department: Qualitätssicherung

1.4. Emergency telephone number:

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service.

SECTION 2:

Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements: Highly flammable liquid and vapour.

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H225

Highly flammable liquid and vapour.

H319

Causes serious eye irritation.

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

P501

Dispose of contents/container in accordance with local/national disposal regulations.

Special labelling of certain mixtures

Read attached instructions before use.

2.3. Other hazards

The product does not meet the PBT or vPvB criteria in Annex XIII of the REACH Regulation.

SECTION 3:

Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS-No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64-17-5	Ethanol, ethyl alcohol			75-80%
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS-No	EC No	Chemical name	Quantity	
	Specific concentration limits and M-factors			
64-17-5	200-578-6	Ethanol, ethyl alcohol	75-80%	
	Eye Irrit. 2; H319: >= 50 - 100			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First-aiders: Pay attention to self-protection!

After inhalation

There are no health risks when used and handled properly. If irritations or allergic reactions should occur as a consequence of handling the product (particularly if large quantities have been inhaled): Keep the person concerned calm and call a medic immediately.

After contact with skin

This product is suitable for direct application onto the skin (refer to instructions of use). Consult physician in case of irritations or redness.

After contact with eyes

Remove contact lenses. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunk in little sips (dilution effect). Seek medical attention if problems persist.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

Irritations upon eye contact and irritations/allergic reactions upon contact with skin.

Under normal usage conditions, the unlikely intake of large doses orally: damage to various organ systems. Aspiration pneumonia, acceleration of the heart, CNS depression, dizziness, inebriation, headache, intoxication, nausea, loss of consciousness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Extinguishing powder. Water spray. Fight larger fires with water spray jet or alcohol-resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide. Carbon dioxide. Nitrogen oxides (NO_x). Vapours are heavier than air and will spread at floor level. The product is highly flammable and can promote the spread of fire.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet.

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

At normal handling, no personal cautionary measures will need to be observed.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Personal protection equipment: see section 8

Handling and storage: see section 7

For waste disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Consider general workplace hygiene.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

Further information on handling

Avoid eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep only in the original container.

Hints on joint storage

Store separately from foodstuff. Do not expose product to direct sunlight or extreme heat. Do not store or use near or in direct proximity to open fire or heating sources.

Further information on storage conditions

Protect from sunlight and heat sources. Avoid ignition sources.

7.3. Specific end use(s)

Disinfectant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
64-17-5	Ethanol, ethyl alcohol			
Worker DNEL, acute	inhalation	local	1900 mg/m ³	
Worker DNEL, long-term	dermal	systemic	343 mg/kg bw/day	
Worker DNEL, long-term	inhalation	systemic	950 mg/m ³	
Consumer DNEL, acute	inhalation	local	950 mg/m ³	
Consumer DNEL, long-term	dermal	systemic	206 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	114 mg/m ³	
Consumer DNEL, acute	oral	systemic	87 mg/kg bw/day	

PNEC values

CAS No	Substance	Value
64-17-5	Ethanol, ethyl alcohol	
Environmental compartment		
Freshwater		0,96 mg/l
Marine water		0,79 mg/l
Freshwater sediment		3,6 mg/kg
Marine sediment		2,9 mg/kg
Secondary poisoning		0,72 mg/kg
Soil		0,63 mg/kg

Additional advice on limit values

According to the currently valid lists, there are not further binding work place safety values.

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation.

Protective and hygiene measures

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Under normal usage conditions, not necessary. At the place of work (in production and when refilling): Tightly sealed safety glasses.

Hand protection

Under normal usage conditions, not necessary.

At the place of work (in production and when refilling):

By repeated application: chemically impervious safety gloves made of fluorinated rubber (0.4 mm) or butyl rubber (0.5 mm) (breakthrough time >480 min). For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Under normal usage conditions, not necessary.

At the place of work (in production and when refilling): Protective clothing.

Respiratory protection

Under normal usage conditions, not necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: clear

Odour: like: Alcohol.

pH-Value: neutral

Changes in the physical state

Melting point: No data available

Initial boiling point and boiling range:

No data available

Flash point: 18 - 21 °C

Oxidizing properties

No data available

Vapour pressure: No data available

Density (at 20 °C): 0,88 g/cm³

Water solubility: No data available

Flammability

Solid: No data available

Explosionsgefahren

No data available

Lower explosion limits: No data available

Upper explosion limits: No data available

Ignition temperature: No data available

Solubility in other solvents

No data available

Partition coefficient: No data available

Viscosity / dynamic: No data available

Flow time: No data available

Vapour density: No data available

Solvent separation test: No data available

Auto-ignition temperature

Solid: No data available

Decomposition temperature: No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable under normal environmental conditions (room temperature).

10.3. Possibility of hazardous reactions

When properly used, no hazardous reactions are expected.

10.4. Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Electrostatic charges.

10.5. Incompatible materials

Oxidizing agents, strong acid.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide. Irritating/poisonous gasses and vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Effects caused by the „ethanol“ ingredient:

Acute effects/symptoms (after inhaling or being exposed to high concentrations): Dry / sore throat, coughing, irritation of the respiratory tract, nasal mucosa, respiratory difficulty, CNS depression; similar symptoms like after swallowing

Acute effects/symptoms (after swallowing; massive ingestion)

Risk of aspiration pneumonia, red skin color, body temperature increases, moist/clammy skin, agitation/restlessness, acceleration of the heart, CNS depression, dizziness, inebriation, headache, intoxication, nausea, vomiting, abnormal reflexes, impaired coordination, blurred vision, difficulty concentrating, hallucinations, impaired pain sensitivity, cardiac arrhythmia, disturbance of consciousness, tremors, seizures/involuntary muscle contractions, dilated pupils

Acute effects/symptoms (after eye contact):

Redness of the eye tissue. Lacrimation.

Acute effects/symptoms (after skin contact):

slight irritation

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	Ethanol, ethyl alcohol				
	oral	LD50 10470 mg/kg	Ratte	supplier statement	OECD 401
	dermal	LD50 15800 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50>51 mg/l	Ratte	supplier statement	OECD 403

Irritation and corrosivity

Causes serious eye irritation. Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][d]	Species	Source	Method
64-17-5	Ethanol, ethyl alcohol					
	Acute fish toxicity	LC50 15300 mg/l	96 h	Pimephales promelas (fathead minnow)	supplier statement	
	Acute algae toxicity	ErC50 275 mg/l	72 h	Chlorella vulgaris	supplier statement	
	Acute crustacea toxicity	EC50 5012 mg/l	48 h	Ceriodaphnia spec	supplier statement	
	Crustacea toxicity	NOEC 9,6 mg/l	9 d	Daphnia magna (Big water flea)		

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	Ethanol, ethyl alcohol	-0,31

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	Ethanol, ethyl alcohol	1 - 4,5	Cyprinus carpio (Common Carp)	

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available.

SECTION 13:

Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Small quantities may be diluted with water and washed away. Larger quantities must be disposed properly according to local regulations. According to the European Waste Catalogue (EWC), allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Recommended cleaning agent: Water (with cleaning agent)

SECTION 14:

Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1170
14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 1170
14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 1170
14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Special Provisions: 144
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1170
14.2. UN proper shipping name: ETHANOL SOLUTION

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Special Provisions: A3 A58 A180
Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2
ATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No special precautions known.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC):	78,405 % (689,964 g/l)
2004/42/EC (VOC):	78,405 % (689,964 g/l)
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable
 Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable
 Regulation (EC) No 850/2004 on persistent organic pollutants: not applicable
 Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).
 This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none
 This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Water hazard class (D):	1 - slightly hazardous to water
Biocide registry number:	N-87809

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: Ethanol, ethyl alcohol

SECTION 16: OTHER INFORMATION

Changes

Version 1,00 - 10.03.2020 - Creation
 Version 1,01 - 22.04.2020 - General update
 Version 1,02 - 19.11.2020 - changes in section 15

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act
 CAS: Chemical Abstracts Service
 DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)
 EC: Effective Concentration
 EG: European Community (Europäische Gemeinschaft)
 EN: European Norm
 IATA: International Air Transport Association
 IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Code for Dangerous Goods
 ISO: Norm of the International Standards Organization

CLP: Classification, Labeling, Packaging
 IUCLID: International Uniform Chemical Information Database
 LC: Lethal concentration
 LD: Lethal dose
 log Kow: Octanol/water partition coefficient
 MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships
 OECD: Organisation for Economic Co-operation and Development
 PBT: Persistent, bio-cumulative, toxic
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail
 TRGS: Technische Regeln für Gefahrstoffe
 UN: United Nations
 VOC: Volatile Organic Compounds
 vPvB: very persistent and very bio-cumulative
 WGK: German Water Hazard Class
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 DNEL: Derived No Effect Level
 PNEC: Predicted No Effect Concentration
 TLV: Threshold Limiting Value
 STOT: Specific Target Organ Toxicity
 AwSV: Ordinance on Installations for Handling Substances Hazardous to Water

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by: Uwe Müller GmbH & Co. KG, Oberwiesachstraße 3, 72290 Loßburg-Betzweiler, Germany, Telefon +49 (0) 7455/9468-0, Fax: +49 (0) 7455/9468-11

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)